	Application No.	Applicant(s)
Notice of Allowability	10/541,391	MATSUMURA ET AL.
	Examiner	Art Unit
	MELISSA RIOJA	1796
The MAILING DATE of this communication appearance All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT R of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in the or other appropriate communic IGHTS. This application is sub-	is application. If not included cation will be mailed in due course. THIS
1. This communication is responsive to <i>April 8, 2010</i> .		
2. The allowed claim(s) is/are <u>10-29</u> .		
 3. Acknowledgment is made of a claim for foreign priority una) All b) Some* c) None of the: 1. Certified copies of the priority documents have 2. Certified copies of the priority documents have 3. Copies of the certified copies of the priority do International Bureau (PCT Rule 17.2(a)). * Certified copies not received:	e been received. e been received in Application N	No
Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONN THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		reply complying with the requirements
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) hereto or 2) to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1 each sheet. Replacement sheet(s) should be labeled as such in t	.84(c)) should be written on the che header according to 37 CFR 1	drawings in the front (not the back) of ∟121(d).
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
	•	
Attachment(s)	5 D Notice of Info	and Detect Application
 Notice of References Cited (PTO-892) Dotice of Draftperson's Patent Drawing Review (PTO-948) 		mal Patent Application
	Paper No./Ma	nil Date <u>4/10/2010</u> .
 3. Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date 4. Examiner's Comment Regarding Requirement for Deposit of Biological Material 	7. 🖾 Examiner's An	nendment/Comment
		atement of Reasons for Allowance
	9. Other	

EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Mr. Stephen Roylance on April 9, 2010.

The application has been amended as follows:

In the title, line 1, "beads" has been substituted by --particles--.

In the title, line 3, "beads" has been substituted by --particles--.

Claims 10 - 29 are allowed.

The following is an examiner's statement of reasons for allowance: the closest prior art of record does not teach or suggest the claimed amounts of polymerization initiator and styrene component in Claims 10 - 29. The closest prior art of record, JP 1-284536 to Takamasa et al., teaches amounts of initiator and styrene components outside the ranges in the instant claims. In their decision on the instant case on September 28, 2009, the Board of Patent Appeals and Interferences held that a personal of ordinary skill in the art would not depart from the teachings of Takamasa et al. by optimizing the amounts of initiator and styrene originally disclosed because doing so would run counter to the direction and guidance of the reference (Pages 9 and 10).

The new claims present in this application and amendments to the specification filed after the decision rendered by the Board of Patent Appeals and Interferences fix formal matters and correct the mistranslation of particles, formerly referred to as

Art Unit: 1796

"beads" throughout the specification. New limitations present depend from claims which are otherwise identical to those in which the examiner was reversed by the Board of Patent Appeals and Interferences and are entirely supported by the original specification.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Correspondence

Any inquiry concerning this communication or earlier communications from the examiner should be directed to MELISSA RIOJA whose telephone number is (571)270-3305. The examiner can normally be reached on Monday - Friday 7:00AM - 3:30PM E.S.T..

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Mark Eashoo can be reached on (571)272-1197. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/541,391

Art Unit: 1796

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information

/ James J. Seidleck /

/MAR/

Supervisory Patent Examiner, Art Unit 1796

system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

April 10, 2010

Page 4